




CONTENT

- HISTORIC MILESTONES 4
 - MEKA TODAY 6
 - GLOBAL PRESENCE 8
 - WHYMEKA 10
 - PRODUCTS **22**
- COMPACT CONCRETE PLANTS **24**
- MOBILE CONCRETE PLANTS **36**
- STATIONARY CONCRETE PLANTS **52**
 - AUTOMATION 70
 - SEA FREIGHT **74**
 - CONCRETE MIXERS 78
 - OPTIONAL EQUIPMENT **86**
 - ADDITIONAL OPTIONS **96**

HISTORIC MILESTONES



MEKA TODAY

MEKA is the Choice of Professionals

MEKA is a Leading Professional Enterprise established in 1987 and focused on manufacturing of Concrete Plants and Crushing & Screening Equipment.

we provide a complete scope of services such as identifying customer's needs, project planning, design, engineering, manufacturing, quality control, commissioning, personnel training and after-sales support.

MEKA is committed to the principle of perfection in all of the products and services that it presents to its customers. Providing the information before sales, conducting a need analysis and aftersales support is MEKA the reliable partner for its customers.

We manufacture Crushing and Screening Units – Jaw, Primary/ Secondary/Tertiary Impact, Vertical Shaft, Cone and Crushers on Mobile Chassis along with Feeders, Screens and Aggregate Washing Systems. Turnkey solutions can be offered for different types of rocks with different capacities.

Being the biggest Turkish manufacturer, We manufacture Concrete Plants – Stationary, Mobile, Compact, Container Type, Plants for Road Concrete, RCC and Precast Applications along with Recycling Systems and Fiber Dosing Equipment. Unique solutions can be designed according to the customers' needs.

THE CHOICE OF PROFESSIONALS


MEKA is taking firm steps forward as a significant player in the sector with annual 250 concrete plants production capacity, 330 personnel, 40 engineers and 4 modern facilities with total area of 75.000 m² (at Ostim/Ankara - 1.500 m². 1st Temelli/ Ankara - 18.000 m². 2nd Temelli/ Ankara - 23.500 m², Eskisehir - 32.000 m²) equipped with advanced machinery and technology.

We have been supplying our equipment to more than 60 countries for the world's biggest contractors, cement manufacturers and ready-mix giants.

MEKA is a Choice of Many Professionals and a reliable partner you can trust. We do not only offer standard equipment, we deliver cost-effective solutions to different civil engineering projects worldwide no matter how complex they

Each MEKA Concrete Plant or a Crushing & Screening Unit is the result of nearly 30 years of full dedication. There is therefore knowledge and care in every detail.

MEKA is the Choice of Professionals



GLOBAL PRESENCE Holcim LAFARGE VINCI 💠 KNAUF STRABAG A HOCHTIEF EMENT. ${\mathfrak P}$ GAMA ORASCOM® YENIGÜN Iyaat Sarayı ve Ticaret A.Ş. HEIDELBERG GGAZPROM **ENKA O** RECON (LES) Lakeshore Group KAZAKHMYS //cemex **BREEDON** ce**\'ital** yapı ⊯ii merkezi atlas Group LONDON CONCRETE SETRACO NIGERIA LIMITED () Hanwha DonoYano





- ► Professional Enterprise with almost 30 years of experience
- Full scope of services: identifying customer's needs, project planning, design, engineer-ing, manufacturing, quality control, commis-sioning, personnel training and after-sales support.
- ► Affordable cost effective high quality equipment
- Only high quality components
 Strong well-known companies among references in local market
- Flexibility in design and manufacturing
- "Quality is a Culture" policy

One of the main aspects of MEKA's High Quality

MEKA has been developing its Engineering Team for nearly 30 years in order to invent, innovate, design and keep up with the latest technology.

Our products changed and improved a lot since the first concrete plant and mixer has been shipped from our small factory many years ago. Variety of models were invented to meet the requirements of fast developing construction sector.

Today we are a "Solution Partner" for many sector professionals attracting large scale of interest with our customized solutions for very important projects of infrastructure worldwide. People believe in MEKA and count on us as the project completion is directly connected to the equipment. Our Flexibility and Success would not be possible without Perfect Engineering.

Every idea transformed into lines we draw on paper is a result of deep analysis and strict calculations.

Advanced software allows us to test equipment even before the first profile is cut in our manufacturing facilities. It results in overall high quality about any product we manufacture.

MEKA gains trust with confidence and guides its customers to the best engineering solutions it can offer. There is knowledge and care in every detail.





MEKA's Manufacturing Facilities – Where ideas come to life

MEKA has always been investing in its factories and labor resources to increase the safety of the personnel, to increase the quality and production capacity, to evaluate new products and to manufacture customized designs to meet the uncountable requests from the market.

Back in 1987 there were just a few technicians working on an area of a couple of hundreds of square meters. But those people together with the management have dedicated themselves to MEKA and created a vision that was taking them forward. Some of them are still with MEKA proving that their vision was right.

Today MEKA is taking firm steps forward as a significant player in the sector with 330 personnel, 40 engineers and 4 modern facilities with total area of 75.000 m² (at Ostim/Ankara - 1.500 m², 1st Temelli/Ankara - 18.000 m², 2nd Temelli/Ankara - 23.500 m², Eskisehir - 32.000 m²) equipped with advanced machinery and technology. Annual improvement reflects to each of our products making them better, more competitive, unique, robust and reliable.

Investment in advanced machinery was inevitable for continuous improvement and new product line development, like Crushing and Screening Units. Today along with Concrete Plants we manufacture a variety of Crushers – Jaw, Primary/

Secondary/Tertiary Impact, Vertical Shaft, Cone and Crushers on Mobile Chassis along with Feeders, Screens and Aggregate Washing Systems. Turnkey solutions can be offered for different types of rocks with different capacities. In order to do it we had to establish a new factory to improve our machinery and labor.

Starting from the very beginning quality has always been a priority not only for the management but for all the involved personnel. Quality is a culture in MEKA and this awareness spreads in all of its departments.



TECHNOLOGIC MANUFACTURI MANUFACTURI

WHY MEKA

MEKA Quality is Hidden in the Details

The quality of the final product is determined by many aspects, components and processes.

Reaching high quality by improving only one side of the product is not possible as the chain is as strong as its weakest link. Small components and parts are playing an important role and require correct selection and strict entry control.

Keeping it in mind, MEKA has never compromised the quality of the parts and its subcontractors and has developed strong relations with the best well-known and reliable component suppliers. We offer only premium parts with our concrete batch plants and crushing and screening equipment. This ensures long-term reliable continuous operation with minimum possibilities of break-downs.

The equipment that we offer is an investment, it is a tool and not a final product in the long chain of construction process. So being a link of another chain, a concrete batch plant or a crushing and screening unit has to be chosen properly to support the whole process.

Meeting the expectations of many professionals worldwide MEKA offers only high quality components and parts. There is knowledge and care in every detail.











MEKA – Built to Last

Durability is not just another aspect of MEKA Quality, but a philosophy of manufacturing coming from the very beginning of MEKA.

Highly experienced engineers, technicians and welders in the sector care about your results and therefore calculate, design and create the best equipment for any condition you can face with. MEKA has proven to be extremely reliable in hard nature conditions, extreme temperatures, long continuous operation, high dynamic stress and heavy loads.

Project completion and the operation of the whole chain of supply is directly connected to the Concrete Plant. It might not be the highest value in total amount of the investment but it is definitely the most important

one. Durable and reliable operation with minimum break downs guarantees faster construction with minimum defects, higher profits, minimum time loss and positive image of the company possessing such equipment. We care about our customer's results and never compromise the operation characteristics.

MEKA is a solution partner for many sector professionals worldwide.





Sales go Up and Down Service stays Forever

Investment products require almost immediate support since company's success, profit and sometimes future are directly connected to equipment the company invested in.

Our experienced Service team is here to support you no matter where you are located. Around 40 supervisors are ready to be on your site within the shortest possible time. Wide spare part stocks and trained personnel in many locations worldwide will ensure you get the fastest support for your equipment.

is being provided both from the main office and local affiliates.

Without service even the most advanced technology is useless

Wide Aftersales Network

The number of local agents and offices is increasing each day. We are trying to be closer to all our customers and today you can get immediate support in more than 20 countries. Free online and phone support







Compact Concrete Plants

The MEKA range of compact concrete batching plants are designed for quick and easy erection and simple transportation.

All MEKA compact concrete plants are designed and built to the highest standards, using only superior quality materials and components, to provide a robust and semi mobile solution for all your concrete production requirements.

Some of our compact models are designed to fit into 40FT OT containers and some parts are partially container itself.

We are continuously developing in order to provide the most convenient, economical and easy to transport solutions for temporary needs. On the other hand, we take care about our customers' installation expenses and offer solutions to lower civil works on site with our steel frame foundations for main structures and silos.





Reference Projects


C20 - Small but Capable

Hasanlar Dam in Turkey was constructed with the help of a single C20 concrete plant. Topaktaş Construction has chosen C20 for a distant area where concrete delivery was not possible. With is small footprint, fast erection and minimum concrete requirement C20 is a good choice for distant areas.

Gazprom is using C20 concrete plants for pump station construction in Siberia. Most of the equipment is delivered by helicopters. C20 was the best choice with its compact and robust structure.

C-20 Compact Concrete Batching Plant Capacity: 30 sec mixing - 20 m³/h


Technical Data	Value	Unit
Capacity	20	m³/hr
Mixer Type	Planetary	-
Mixer Capacity (compacted)	0,33	m³
Motor Power	15	kW
Aggregate Compartments	4	No.
Aggreagete Weighing Conveyor	650x5.050	mm
Mixer Feeding Conveyor	Skip Hoist	mm
Aggregate Weighing Capacity	700	kg
Cement Weighing Capacity	170	kg
Water Weighing Capacity	70	kg
Additives Weighing Capacity	15	kg





C-30 Compact Concrete Batching Plant Capacity: 30 sec mixing - 30 m³/h


Technical Data Unit Value Capacity 30 m³/hr Mixer Type Single Shaft Mixer Capacity (compacted) 0,5 m^3 18,5 kW Motor Power Aggregate Compartments No. Aggreagete Weighing Conveyor 650x5.050 mm Mixer Feeding Conveyor Skip Hoist mm Aggregate Weighing Capacity 1.100 kg Cement Weighing Capacity 300 kg Water Weighing Capacity 160 Additives Weighing Capacity 20 kg





C-60 Compact Concrete Batching Plant Capacity: 30 sec mixing - 60 m³/h

Technical Data	Value	Unit
Capacity	60	m³/hr
Mixer Type	Single Shaft	-
Mixer Capacity (compacted)	1	m³
Motor Power	37	kW
Aggregate Compartments	3-4	No.
Aggreagete Weighing Conveyor	650x9.840	m³
Mixer Feeding Conveyor	Skip Hoist	mm
Aggregate Weighing Capacity	2.200	kg
Cement Weighing Capacity	500	kg
Water Weighing Capacity	250	lt
Additives Weighing Capacity	20	kg








C-100

Compact Concrete Batching Plant Capacity: 30 sec mixing - 85 m³/h, 20 sec mixing - 95 m³/h

Technical Data	Value	Unit
Capacity	100	m³/hr
Mixer Type	Twin Shaft	-
Mixer Capacity (compacted)	2	m³
Motor Power	2x37	kW
Aggregate Compartments	4	No.
Aggreagete Weighing Conveyor	800x12.320	mm
Mixer Feeding Conveyor	1.000x16.800	mm
Aggregate Weighing Capacity	6.600	kg
Cement Weighing Capacity	1.000	kg
Water Weighing Capacity	700	kg
Additives Weighing Capacity	20	ka






A big Turkish Contractor Atlas Group is among the biggest construction companies in the ENR list. Branch office in Algeria is using three MEKA MB-C120 concrete batch plants for the construction of Dr. Benzerjeb Hospital, Certic Cyber Park and Residental areas in different cities.


Al Turki Enterprises The biggest contractor of Oman

Due to the high performance of 2x 2 120 m³/h Meka compact concrete plants that was used during Sohu Road Project in 2014 by Al Turki Enterprises Group opted to use Meka concrete batching plants in 2015, as C-120

Compact Concrete Batching Plant Capacity: 30 sec mixing - 115 m³/h, 20 sec mixing - 125 m³/h

Technical Data	Value	Unit
Capacity	120	m³/hr
Mixer Type	Twin Shaft	-
Mixer Capacity (compacted)	3	m³
Motor Power	2x55	kW
Aggregate Compartments	4	No.
Aggreagete Weighing Conveyor	800x12.320	mm
Mixer Feeding Conveyor	1.000x16.800	mm
Aggregate Weighing Capacity	6.600	kg
Cement Weighing Capacity	1.750	kg
Water Weighing Capacity	1000	kg
Additives Weighing Capacity	40	kg





Mobile Concrete Plants

MEKA's comprehensive range of batching plants and concrete mixers provides our customers with an unrivalled industry choice of equipment, to meet every application.

With over 30 years of manufacturing and design experience, combined with a superior technological infrastructure, MEKA have developed a unique and robust range of quick erect, mobile concrete batching solutions, which have become internationally renowned for their high quality and reliability.

MEKA Mobile Concrete Plants are rapidly becoming the preferred choice for many of the world's construction and concrete producing professionals from around the world.

MEKA's unique portable design provides quick and easy erection and reallocation and is proven to lower operational and maintenance costs, which provides increased confidence, due to minimal breakdowns.

At the heart of every portable concrete plant, beats one of our specially designed, high quality Single Shaft or Twin Shaft Mixers, which are proven in the production of all types of high quality and high performance, concrete mixtures.







Ethiopian Railway Project Will Rise With 6 Meka **Concrete Plants**


The Ethiopian Awash-Kombolcha-Hara-Gebaya Railway Project, with a budget of 1.7 billion USD, was opened in the Groundbreaking Ceremony on February 25, 2015 in Kombolcha.

The main contractor is a well-known Turkish company - Yapi Merkezi. Since the Project is spread across the railway line a fast erect mobile concrete plant was required for frequent relocations. A 30M mobile concrete plant and other models were preferred.


22 MEKA


MB-30M Mobile Concrete Batching Plant Capacity: 30 sec mixing - 27 m³/h, 20 sec mixing - 32 m³/h

Technical Data	Value	Unit
Capacity	30	m³/hr
Mixer Type	Singleshaft	-
Mixer Capacity (compacted)	0,5	m³
Motor Power	18,5	kW
Aggregate Compartments	4	No.
Aggregate Compartment Capacity	7	m³
Aggreagete Weighing Conveyor	650x13.480	mm
Mixer Feeding Conveyor	650x13.480	mm
Aggregate Weighing Capacity	1100	kg
Cement Weighing Capacity	300	kg
Water Weighing Capacity	160	kg
Additives Weighing Capacity	15	kg



Built-in Cement Silo (Optional)








Temelfen

Professionals choice MEKA has recently made the delivery of 11 batching plants MB-60M with 60 m³/ h capacity to Algeria for a governmental project of mass housing.

MB-60M

Mobile Concrete Batching Plant Capacity: 30 sec mixing - 54 m³/h, 20 sec mixing - 63 m³/h


Technical Data	Value	Unit
Capacity	60	m³/hr
Mixer Type	Single Shaft	-
Mixer Capacity (compacted)	1	m³
Motor Power	37	kW
Aggregate Compartments	4	No.
Aggregate Compartment Capacity	10	m³
Aggreagete Weighing Conveyor	800x13.710	mm
Mixer Feeding Conveyor	800x13.710	mm
Aggregate Weighing Capacity	2.200	kg
Cement Weighing Capacity	500	kg
Water Weighing Capacity	250	kg
Additives Weighing Capacity	15	kg
Built-in Cement Silo (Optional)	30	ton



MB-60ML

Mobile Concrete Batching Plant Capacity: 30 sec mixing - 54 m³/h, 20 sec mixing - 63 m³/h

Technical Data	Value	Unit
Capacity	60	m³/hr
Mixer Type	Single Shaft	-
Mixer Capacity (compacted)	1	m³
Motor Power	37	kW
Aggregate Compartments	4	No.
Aggregate Compartment Capacity	12	m³
Aggreagete Weighing Conveyor	650x13.710	mm
Mixer Feeding Conveyor	650x13.710	mm
Aggregate Weighing Capacity	2.200	kg
Cement Weighing Capacity	500	kg
Water Weighing Capacity	250	lt
Additives Weighing Capacity	20	kg
Built-in Cement Silo	-	ton








MB-100M

Mobile Concrete Batching Plant Capacity: 30 sec mixing - 83 m³/h, 20 sec mixing - 94 m³/h

Technical Data	Value	Unit
Capacity	100	m³/hr
Mixer Type	Twin Shaft	-
Mixer Capacity (compacted)	2	m³
Motor Power	2x37	kW
Aggregate Compartments	4	No.
Aggregate Compartment Capacity	15	m³
Aggreagete Weighing Conveyor	1.000x15.630	mm
Mixer Feeding Conveyor	1.000x15.630	mm
Aggregate Weighing Capacity	4.400	kg
Cement Weighing Capacity	1.000	kg
Water Weighing Capacity	700	kg
Additives Weighing Capacity	20	kg







MB-100BM

Mobile Concrete Batching Plant Capacity: 30 sec mixing - 85 m³/h, 20 sec mixing - 96 m³/h

Technical Data	Value	Unit
Capacity	100	m³/hr
Mixer Type	Twin Shaft	-
Mixer Capacity (compacted)	2	m³
Motor Power	2x37	kW
Aggregate Compartments	4	No.
Aggregate Compartment Capacity	25	m³
Aggreagete Weighing Conveyor	1.000x14.480	mm
Mixer Feeding Conveyor	1.000x18.130	mm
Aggregate Weighing Capacity	4.400	kg
Cement Weighing Capacity	1.000	kg
Water Weighing Capacity	700	kg
Additives Weighing Capacity	20	kg
Built-in Cement Silo	-	ton






MB-120BM

Mobile Concrete Batching Plant Capacity: 30 sec mixing - 113 m³/h, 20 sec mixing - 126 m³/h

Technical Data	Value	Unit
Capacity	120	m³/hr
Mixer Type	Twin Shaft	-
Mixer Capacity (compacted)	3	m^3
Motor Power	2x55	kW
Aggregate Compartments	4	No.
Aggregate Compartment Capacity	25	m³
Aggreagete Weighing Conveyor	1.000x14.480	mm
Mixer Feeding Conveyor	1.000x17.730	mm
Aggregate Weighing Capacity	6.000	kg
Cement Weighing Capacity	1.750	kg
Water Weighing Capacity	1.000	kg
Additives Weighing Capacity	40	kg
Built-in Cement Silo	-	ton





Mobile Mixer System

Need to transform your dry-batch concrete plant into a wet-batch one? Long-term complete transformation of the existing plant with changing the length of the belt conveyors, making new structure for mixer platform etc. is generally not cost-effective with high labor and foundation expenses. However, there is a solution - MEKA Mobile Mixers.

Туре	2.0m ³	3.0m ³	3.5m ³	4.0m ³	4.5m ³
Feeding Capacity	3.000 Lt	4.500 Lt	5.250 Lt	6.000 Lt	6.750 Lt
Mixer Motor Power	2.000 Lt	3.000 Lt	3.500 Lt	4.000 Lt	4.500 Lt
Conveyor Belt	1.200 X 16.0	00 Mm			
Belt Motor Power	30 Kw	30Kw	30Kw	45Kw	45Kw
Compacted Concrete Output	66M ³ /Hr	80M³/Hr	95M³/Hr	105M ³ /Hr	120M ³ /Hr
Туре	2.0m ³	3.0m ³	3.5m ³	4.0m ³	4.5m ³
W	3.000 mm				
Н	4.000 mm				
L	12.250 mm				



Stationary Concrete Plants

Meeting our customers' expectations, we take pride in our flexible engineering solutions for different applications.

MEKA stationary concrete batching plants have been designed for maximum efficiency and reliability for producing all types of high quality concretes, with production outputs from 30m³ to 250m³ per hour.

MEKA's stationary plants are available with a variety of options and can be configured to meet each client's individual needs. There are more than 1500 MEKA concrete plants running all over the world in different climatic conditions helping to build better infrastructure, better cities and better life. We are aware of how important is the role of a concrete plant in completing a project.

Keeping it in mind we design stable and long lasting structures, we have one of the best after-sales teams which is ready to help in minutes where possible and we use high-quality components (like WAM, SIEMENS, FESTO) which are available worldwide to make sure that our customers rely on equipment they purchased and are not bind to us in solving minor service issues.






MB-30WS

Stationary Concrete Batching Plant Capacity: 30 sec mixing - 30 m³/h

Technical Data	Value	Unit
Capacity	30	m³/hr
Mixer Type	Single Shaft	-
Mixer Capacity (compacted)	0,5	m³
Motor Power	18,5	kW
Aggregate Compartments	3-4	No.
Aggreagete Weighing Conveyor	800x9.850	mm
Mixer Feeding Conveyor	Skip Hoist	mm
Aggregate Weighing Capacity	1.100	kg
Cement Weighing Capacity	300	kg
Water Weighing Capacity	160	kg
Additives Weighing Capacity	20	kg







MB-60W

Stationary Concrete Batching Plant Capacity: 30 sec mixing - 60 m³/h, 20 sec mixing - 72 m³/h

Technical Data	Value	Unit
Capacity	60	m³/hr
Mixer Type	Single Shaft	-
Mixer Capacity (compacted)	1	m³
Motor Power	37	kW
Aggregate Compartments	3-4	No.
Aggreagete Weighing Conveyor	800x14.350	mm
Mixer Feeding Conveyor	800x29.000	mm
Aggregate Weighing Capacity	2.200	kg
Cement Weighing Capacity	500	kg
Water Weighing Capacity	250	kg
Additives Weighing Capacity	20	kg






MB-100W

Stationary Concrete Batching Plant Capacity: 30 sec mixing - 96 m³/h, 20 sec mixing - 111 m³/h

Technical Data	Value	Unit
Capacity	100	m³/hr
Mixer Type	Twin Shaft	-
Mixer Capacity (compacted)	2	m^3
Motor Power	2x37	kW
Aggregate Compartments	3-4	No.
Aggreagete Weighing Conveyor	1.000x15.630	mm
Mixer Feeding Conveyor	1.000x29.000	mm
Aggregate Weighing Capacity	4.400	kg
Cement Weighing Capacity	1000	kg
Water Weighing Capacity	700	kg
Additives Weighing Capacity	20	kg






MB-100WS

Stationary Concrete Batching Plant Capacity: 30 sec mixing - 96 m³/h

Technical Data	Value	Unit
Capacity	100	m³/hr
Mixer Type	Twin Shaft	-
Mixer Capacity (compacted)	2	m³
Motor Power	2x37	kW
Aggregate Compartments	4-6	No.
Aggreagete Weighing Conveyor	1.000x15.630	mm
Mixer Feeding Conveyor	Skip Hoist	mm
Aggregate Weighing Capacity	4.400	kg
Cement Weighing Capacity	1.000	kg
Water Weighing Capacity	700	kg
Additives Weighing Capacity	20	ka







MB-110K

Stationary Concrete Batching Plant Capacity: 30 sec mixing - 105 m³/h, 20 sec mixing - 117 m³/h

Technical Data	Value	Unit
Capacity	105-117	m³/hr
Mixer Type	Twin Shaft	-
Mixer Capacity (compacted)	2,25	m³
Motor Power	2x37	kW
Aggregate Compartments	3-5	No.
Aggreagete Weighing Conveyor	800x13.000	mm
Mixer Feeding Conveyor	1000x29.000	mm
Aggregate Weighing Capacity	5.000	kg
Cement Weighing Capacity	1.250	kg
Water Weighing Capacity	700	kg
Additives Weighing Capacity	20	ka








MB-120W

Stationary Concrete Batching Plant Capacity: 30 sec mixing - 127 m³/h, 20 sec mixing - 144 m³/h

Technical Data	Value	Unit
Capacity	120	m³/hr
Mixer Type	Twin Shaft	-
Mixer Capacity (compacted)	3	m³
Motor Power	2x55	kW
Aggregate Compartments	4-6	No.
Aggreagete Weighing Conveyor	1.000x15.630	mm
Mixer Feeding Conveyor	1.000x31.500	mm
Aggregate Weighing Capacity	6.600	kg
Cement Weighing Capacity	1.750	kg
Water Weighing Capacity	1.000	kg
Additives Weighing Capacity	40	kg






MB-150W

Stationary Concrete Batching Plant

apacity: 30 sec mixing -	155 m ³ /h, 20 sec	mixing - 174 m ³ /h
		=

Technical Data	Value	Unit
Capacity	150	m³/hr
Mixer Type	Twin Shaft	-
Mixer Capacity (compacted)	4	m³
Motor Power	2x75	kW
Aggregate Compartments	6-8	No.
Aggreagete Weighing Conveyor	2x1.000x12.000	mm
Mixer Feeding Conveyor	1.200x34.750	mm
Aggregate Weighing Capacity	8.800	kg
Cement Weighing Capacity	2.000	kg
Water Weighing Capacity	1.200	kg
Additives Weighing Capacity	40	kg







MB-180W

Stationary Concrete Batching Plant Capacity: 30 sec mixing - 167 m³/h, 20 sec mixing - 186 m³/h

Technical Data	Value	Unit
Capacity	180	m³/hr
Mixer Type	Twin Shaft	-
Mixer Capacity (compacted)	4,5	m³
Motor Power	2x90	kW
Aggregate Compartments	6-8	No.
Aggreagete Weighing Conveyor	2x1.000x12.000	mm
Mixer Feeding Conveyor	1.200x34.750	mm
Aggregate Weighing Capacity	9.900	kg
Cement Weighing Capacity	2.000	kg
Water Weighing Capacity	1.200	kg
Additives Weighing Capacity	60	kg







MECAS Perfect Control System for every Professional

MEKA has been developing its own Software Department since more than 15 years. More than 1500 concrete batching plants operating worldwide provide an enormous feedback for the improvement. Recently this large experience has been transformed into a simple, comprehensive and extremely sensitive electromechanical structure - a MECAS Automation System.

Only High Quality Components

The control panel in based on SIEMENS equipment which is available in all the parts of the world to provide the best quality and worldwide support. No manufacturer-specific hardware ensures maximum flexibility for the final customer. Main logical controller is a modular SIEMENS S7-300 PLC which is proven to be robust and reliable with wide capabilities for modification and improvement. Ethernet connection provides exceptional responsiveness and high data transfer rates. Separate touch panel allows operation without the main PC.

Real-time Visualization

Main batch window resembles the actual characteristics of the concrete plant.

Comprehensive visualization is showing the actual state of the related discharge gate, scale, pump, valve or any other hardware. Moreover, the main window is customizable and can be easily adjusted to changes in the concrete batch plant configuration.

3 Main Operating Modes

The system allows Fully Automatic, Semi-Automatic and Manual operating modes. Switching between modes is possible from the main batch window with a single click. The system starts in fully automatic mode by default, minor corrections and interventions can be done with the help of the buttons on scales, pumps, gates and the mixer. The system switches to semi-automatic mode automatically when operator is interfering by pressing the related buttons. In case of a need or emergency operator can completely turn off the automatic production and switch to manual mode.

Reach in Features

- -Multiple Language support
- -Rich parameter page
- -Right-Click parameter access
- -Drag and Drop delivery note editor
- -Automatic silo shaft
- -Unlimited database
- -Dynamic onscreen slump control
- -Manual production/weighing reports
- -Wide alarm database with explanations, auidance and codes
- -Levelled authorization
- -Easy adaptation with new materials
- -Direct onscreen calibration
- -Full discharge gate sensitivity control
- -Manual moisture and absorption input
- -Batch reports
- -Export to Excel, automatic report saves to cloud drives
- -Periodical backup
- -Rich recipe control and parameters
- -Detailed logbook





SEA FREIGHT

MEKA Modular Design -Container Transport Ready

"You will not find it difficult to prove that battles, campaigns, and even wars have been won or lost primarily because of logistics." - General Dwight D. Eisenhower

Logistics has always been a decision making factor and keeping it in mind MEKA has developed Compact and Stationary concrete batching plants with modular design to serve even the most distant markets. With our wide range of container shipment ready products nowhere is too far or too expensive to supply or purchase a proper concrete batching plant, as there is equipment that fit in standard 40FT OT containers.

Sea Transportation Highlights

Our bestseller Stationary Concrete Batching Plant MB-110K model is one of the best examples of perfect modular design. All the main components fit into 40FT OT containers.

Compact Concrete Batching Plant MB-C60 is a perfect balance between capacity, logistics, operation area and total investment. All the main components fit into 40FT OT containers.

One Stationary Concrete Batching Plant MB-30WS travelled more than 15.000km in containers to reach the distant city of Petropavlovsk-Kamchatsky to reconstruct the aging residential areas. Despite the location where cheap products from neighboring countries are dominating a MEKA concrete plant was chosen, thanks to logistics...







Single Shaft Concrete Mixers 0,5 m³ - 1,0 m³ - 2,0 m³


Technical Data	MB-S500	MB-S1000	MB-S2000
Loading Capacity	0,75 m ³	1,5 m ³	3 m ³
Compacted Concrete Capacity	0,5 m ³	1 m³	2 m³
Motor Output	18,5 kW	37 kW	2x37 kW
Side Body Wearing Plates	10mm ST52	15mm ST52	15mm ST52
Main Body Wearing Plates	15mm NI-HARD	15mm NI-HARD	20mm NI-HARD
Mixing Arm Wearing Plates	25mm NI-HARD	25mm NI-HARD	30mm NI-HARD
Automatic Lubrication System	BEKA-MAX	BEKA-MAX	BEKA-MAX
Water Distributor	Available	Available	Available
Pneumatic Discharge Door	Available	Available	Available





Twin Shaft Concrete Mixers 1,0 m³ - 2,0 m³ - 2,25 m³ - 3,0 m³ - 4,5 m³ - 6,0 m³

Technical Data	MB-T1000	MB-T2000	MB-T2250	MB-T3000	MB-T4500	
Loading Capacity	1,5 m ³	3 m ³	$3,75 \text{m}^3$	4,5 m ³	6,75 m ³	
Compacted Concrete Capacity	1 m ³	2 m ³	2,25 m ³	3 m ³	4,5 m ³	
Motor Output	2x18,5 kW	2x37 kW	2x37 kW	2x55 kW	2x90 kW	
Gearbox	BONFIGLIOLI					
Side Body Wearing Plates	/earing Plates 20mm ST52					
Main Body Wearing Plates	20mm NI-HARD 4					
Mixing Arm Wearing Plates	30mm NI-HARD 4					
Automatic Lubrication System	Available					
Hydraulic Discharge Door Available						






Planetary Concrete Mixers 0,33 m³ - 0,5 m³ - 1,0 m³ - 1,5 m³ - 2,0 m³

Technical Data	MB-P333	MB-P500	MB-P1000	MB-P1500	MB-P2000
Loading Capacity	0,5 m ³	0,75 m ³	1,5 m ³	2,25 m ³	3 m ³
Compacted Concrete Capacity	0,33 m ³	0,5 m ³	1 m³	1,5 m ³	2 m ³
Mixer Power	15 kW	18,5 kW	45 kW	75 kW	90 kW
Gear Box	MEKA	MEKA	MEKA	MEKA	COBRA
Side Body Wearing Plates	10mm ST52				
Bottom Wearing Plates	12mm HARDOX 500				
Mixing Arm Wearing Plates	20mm NI-HARD 4				
No. of Stars x No. of Blade on Each Star	1x2	1x2	2x2	2x2	2x3
Hydraulic Discharge Door	Available				










OPTIONAL EQUIPMENT

MEKA Optional Equipment

A range of different types of additional options is available upon request.

It includes complete cooling and heating solutions, steam/hot water suppliers and chillers, mixer washout systems, moisture probes for aggregate bins and mixers, different sensors and measurement devices, additional weighing hoppers and dosing equipment.





High Pressure Washing System

Pump Motor Power	22 kW
Water flow rate	107 lt/min
Max pressure	70 bar
Nbr. Of Nozzles	2x5 pcs.
Nozzle material	INOX
Water Tank	500 lt
Accesories	- Water Level Control Probes - 6 pcs.

- Water Tank inlet Filter





Fiber Dosing System

Fully Automatic Dosing Equipment For Steel & Polypropylene Fiber

The doser is filled with steel fiber from paper bags, boxes or big-bags. The desired batch, in kg, is set on a weighing instrument or in the batch plant computer. The fibers are fed on to aggregates belts, into the mixer, into the skip hoist, in the weighing bins, into the mixer discharge chute or into the truck mixer.

Model	A mm	B mm	C mm	D mm	E mm	Power W	Weight kg	Capacity Kg/min*	Doser Content Litre**
MFD 1000	2490	2170	1935	1800	300	3920	1200	40-150	1000
MFD 2000	2590	2370	2370	2000	300	3920	1450	40-150	2000

*The capacity varies depending on the type of fiber **Theoretical volume. The doser content in kg varies depending on type of fiber





Recycling System Are you still throwing away your concrete wastes, wrong dispatches or defects?

Specification	Value		
Capacity	Discharging of 1 Vehicle Capacity		
Recycling Capacity	15 m³/h		
Loading Hopper Dimension	730x1200 mm		
Height of Loading	1670 mm		
Height of Discharge	2032 mm		
Length of Separator screw conveyor	5000 with hopper		
Screw Conveyor Motor Gear-Box Power	5.5 kW		
Screw Conveyor Washing Pump Power	2.2 kW		
Screw Conveyor Washing Pump Capacity	Height 10 m, 37 m ³ /h		
Recycling Pump Power	7.5 kW		
Recycling Pump Capacity	Height 30 m, 30 m ³ /h		
Agitator Power	5.5 kW		
Agitator Speed	52 rpm		
Agitator Diameter	1.2 m		
Submersible Pump Maintenance Reel Capacity	1000 Kg		
Flowing Pipe for Recycling Water	AVAILABLE		
Discharge Channel	AVAILABLE		
Intake Reservoir	AVAILABLE		















OPTIONS

Improve the Capabilities and Characteristics of your MEKA Concrete Plant

1.Additional Weighing/Dosing

Different concrete types and characteristics can be achieved with a variety of additives, powders, fibers and many other options.

MEKA offers additional weighing equipment for automatic manufacturing.

- -Microsilica weighing hoppers (dry or slurry)
- -lce weighing hoppers and screw conveyors
- -Flowmeters for water and additives for exact or tempered weighing
- -Additional Cement/Fly Ash/Lime/GGBS weighing hoppers
- -Pigment (dry paint) dosing systems
- -Automatic fiber dosing systems for soft or steel/polypropylene fiber
- -Lead ball weighing and feeding system (for extra heavy concrete types)

2.Measurement and Monitoring

Additional measurement and monitoring equipment allows full control of the mixtures consistency and temperature, stock level and other important characteristics.

- -Mixer moisture probe and flowmeter for water/cement ratio correction
- -Mixer Temperature monitor
- -Mixer slump reader
- -Silo level control accessories (Radar/

Ultrasonic measurement)

-Cement and Water Temperature monitor

3.Operational Options

MEKA operational options are designed for ease and safety of the operation along with extra useful features.

- -Two discharge legs (for some models)
- -Wet, Half Wet & Dry Options (for some models)
- -Swivel Chute to prevent concrete leak on the trucks
- -Moving discharge chutes for different
- -High Pressure Mixer Washout System
- -Filter over the mixer for dust suppression
- -BIG-BAG cement transfer system

4. Winter and Other climatic options

MEKA concrete plants can be operated in different climate conditions. We offer both cooling and heating systems.

- -Steam (closed/open cycle), hot water or hot air suppliers for aggregate bins
- -Cladding with sandwich panels or corrugated steel panels
- -Steam/Hot water generators
- -Covers over the aggregate bins
- -Chillers

5.Extra Health and Safety Features

Take care of your people on the highest level. Ask for additional health and safety options.

- -Isolation of moving parts
- -Pinch valves
- -Safety locking systems
- -Silo pressure sensors and alarms



Crushing and Concrete Batching Technologies www.mekacrushers.com www.mekaconcreteplants.com

HEAD OFFICE Çamlıca Mh. Anadolu Bl. 147. Sokak. Atlas İs Merkezi No:5/9, 06200 Gimat, ANKARA / TURKEY Tel :+90 312 397 91 33 (pbx) Fax :+90 312 397 10 34 E-mail :sales@meka.com.tr

SERVICE CENTER

Ostim Sanayi Sitesi 56. Sokak. No:26-28 06370 Ostim, ANKARA / TURKEY Tel :+90 312 385 52 55 (pbx) Fax :+90 312 385 10 27







